



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS.

UNITED STATES.

[Reports to the Surgeon-General, Public Health and Marine-Hospital Service.]

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—YEARLY AND MONTHLY.

CONNECTICUT—*Hartford*.—Month of November, 1906. Estimated population, 95,000. Total number of deaths, 128, including diphtheria 3, enteric fever 3, whooping cough 1, and 10 from tuberculosis. Cases of contagious diseases: Diphtheria 29, enteric fever 14, measles 1, scarlet fever 7, and tuberculosis 8.

FLORIDA.—Reports from the State board of health for the week ended December 8, 1906, show cases of contagious and infectious diseases as follows: Diphtheria—Dade County, *Miami*, 1 case; Duval County, *Jacksonville*, 1 case; Hillsboro County, *Tampa*, 2 cases. Enteric fever—Dade County, *Miami*, 1 case; Duval County, *Jacksonville*, 1 case; Hillsboro County, *Plant City* and *Tampa*, 2 cases. Malaria—Hillsboro County, *Tampa*, 1 case. Tuberculosis—Duval County, *Jacksonville*, 1 case; Hillsboro County, *Tampa*, 3 cases; Manatee County, *Braidentown*, 1 case.

GEORGIA—*Columbus*.—Month of November, 1906. Estimated population, 20,764: White, 12,244; colored, 8,520. Total number of deaths, 34: White, 13; colored, 21, including enteric fever, 1, and 2 from phthisis pulmonalis.

MASSACHUSETTS—*Lawrence*.—Month of August, 1906. Estimated population, 74,000. Total number of deaths, 144, including diphtheria 3, enteric fever 1, whooping cough 2, and 7 from tuberculosis. Cases of contagious diseases: Diphtheria 11, enteric fever 11, measles 1:

Month of September, 1906. Total number of deaths, 130, including diphtheria, 1; whooping cough, 2, and 15 from tuberculosis. Cases

of contagious diseases: Diphtheria 12, enteric fever 10, measles 2, scarlet fever 7, smallpox 1.

Month of October, 1906. Total number of deaths, 111, including diphtheria 4, enteric fever 1, whooping cough 4, and 13 from tuberculosis. Cases of contagious diseases: Diphtheria 23, enteric fever 12, measles 3, scarlet fever 6.

MINNESOTA—*Winona*.—Month of November, 1906. Estimated population, 23,000. Total number of deaths, 21, including diphtheria 1, and 3 from phthisis pulmonalis.

NEW HAMPSHIRE—*Concord*.—Month of November, 1906. Estimated population, 20,000. Total number of deaths, 34, including diphtheria 1, and 2 from tuberculosis. Cases of contagious diseases: Diphtheria 4, enteric fever 2, scarlet fever 6, tuberculosis 2.

NEW YORK—*Buffalo*.—Month of November, 1906. Estimated population, 400,000. Total number of deaths, 486, including diphtheria 8, enteric fever 8, measles 6, scarlet fever 2, whooping cough 1, and 41 from tuberculosis. Cases of contagious diseases: Diphtheria 70, enteric fever 33, measles 406, scarlet fever 75, whooping cough 27, and tuberculosis 62.

Saratoga Springs.—Month of November, 1906. Estimated population, 11,822. Total number of deaths, 20, including whooping cough 2, and 3 from tuberculosis.

OHIO—*Toledo*.—Month of October, 1906. Estimated population, 171,656. Total number of deaths, 182, including diphtheria 12, enteric fever 3, scarlet fever 1, whooping cough 3, and 18 from tuberculosis. Cases of contagious diseases: Diphtheria 102, enteric fever 99, measles 3, and scarlet fever 18.

PENNSYLVANIA—*Dunmore*.—Month of November, 1906. Estimated population, 17,500. Total number of deaths, 29, including 1 from enteric fever. Cases of contagious diseases: Diphtheria 4, enteric fever 1, and scarlet fever 4.

UTAH—*Salt Lake City*.—Month of November, 1906. Estimated population, 75,000. Total number of deaths, 90, including diphtheria 4, enteric fever 2, and 7 from tuberculosis. Cases of contagious diseases: Diphtheria 20, enteric fever 23, measles 2, scarlet fever 4, smallpox 1, and 2 from tuberculosis.

WEST VIRGINIA—*Wheeling*.—Month of November, 1906. Estimated population, 42,000. Total number of deaths, 62, including enteric fever, 5, scarlet fever, 2, and 2 from tuberculosis. Cases of contagious diseases: Diphtheria, 22, and scarlet fever, 28.

WISCONSIN—*Milwaukee*.—Month of October, 1906. Estimated population, 345,000. Total number of deaths, 350, including diphtheria 9, enteric fever 8, whooping cough 3, and 37 from tuberculosis. Cases of contagious diseases: Diphtheria 84, enteric fever 75, measles 1, scarlet fever 18, smallpox 14, and tuberculosis 61.